

09533GA-24M-AA-00 NMB 24V 0.64A DC centrifugal blower fan

SKU: 09533GA-24M-AA-00

Price: \$10.01

Categories: Fans

Tags: NMB

Product Link:

<https://www.electspares.com/product/09533ga-24m-aa-00-nmb-24v-0-64a-dc-centrifugal-blower-fan/>

Product Description

The NMB 09533GA-24M-AA-00 is a compact 24V DC centrifugal blower fan. Measuring approximately 97mm L x 93.5mm H x 33mm W, this blower is ideal for focused cooling in various electronic enclosures, industrial equipment, and systems with high airflow resistance. It operates at a rated voltage of 24V DC and, based on your input, draws a current of 0.64A, resulting in a power consumption of 15.36W. This model typically achieves a rotational speed of 3700 RPM, delivering an airflow of 28.6 CFM and a static pressure of 1.400 inch-H₂O. Its noise level is 54.5 dBA. The fan features durable ball bearings for an extended operational lifespan of 100,000 hours at 25°C. It commonly comes with 2-wire leads for power connection and includes auto-restart and polarity protection.

Model Number: 09533GA-24M-AA-00

Manufacturer: NMB Technologies Corporation

Series: GA Series (Centrifugal Blower)

Type: DC Centrifugal Blower Fan

Dimensions: 97mm L x 93.5mm H x 33mm W

Rated Voltage: 24V DC

Operating Voltage Range: 10V to 25V DC

Rated Current: 0.64A

Rated Power: 15.36W (calculated: 24V * 0.64A)

Speed: 3700 RPM

Airflow: 28.6 CFM (0.81 m³/min)

Static Pressure: 1.400 inch-H₂O (342 Pa)

Noise Level: 54.5 dBA

Connector: 2-Wire Leads

Bearing Type: Ball Bearing

Life Expectancy: 100,000 hours at 25°C (L10 Life)

Frame Material: Plastic (UL94V-0)

Impeller (Blade) Material: Plastic (UL94V-0)

Features: Auto Restart, Polarity Protection

Operating Temperature: -10°C to +60°C

Storage Temperature: -40°C to +70°C

Weight: 210g

Approvals/Certifications: UL, CSA, TUV, CE, RoHS Compliant

Product Images







Scan for product details:

