

# 1608KL-05W-B59 NMB 3-wire Fanuc system driver fan

**SKU:** 1608KL-05W-B59

**Price:** \$9.99

**Categories:** Fans, FANUC

**Tags:** NMB

**Product Link:**

<https://www.electspares.com/product/1608kl-05w-b59-nmb-3-wire-fanuc-system-driver-fan/>

---

## Product Description

---

1608KL-05W-B59 3-line Fanuc system driver cooling fan NMB4020/24V 0.11A

Model Number: 1608KL-05W-B59

Manufacturer: NMB Technologies Corporation

Series: 1608KL

Fan Type: DC Brushless Axial Fan

Dimensions L x H x W: 40 mm x 40 mm x 20 mm

Rated Voltage: 24 VDC

Operating Voltage Range: 20 VDC to 25.2 VDC

Rated Current: 0.08 A to 0.11 A

Input Power: 1.92 W to 2.64 W

Wiring: 3 Wire Leads

Bearing Type: Ball Bearing

Rotational Speed RPM: 8500 RPM

Maximum Airflow: 9.5 CFM

Maximum Static Pressure: 0.28 in H<sub>2</sub>O

Noise Level: 33 dB

Frame Material: Plastic

Impeller Blade Material: Plastic

Features: Locked Rotor Sensor

Operating Temperature Range: -10°C to +70°C

Expected Life L10: 50,000 Hours at 25°C

Mass: 25 g

The NMB 1608KL-05W-B59 is a compact and efficient 40x40x20mm DC axial fan from NMB's

1608KL series. Operating on 24VDC, it typically consumes between 1.92W and 2.64W of power with a current draw from 0.08A to 0.11A. This fan features durable ball bearings for a long operational life of 50,000 hours at 25°C. It delivers 9.5 CFM of airflow at a high speed of 8500 RPM, generating a notable static pressure of 0.28 in H<sub>2</sub>O, with a noise level of 33 dB. Its 3-wire termination often includes a locked rotor sensor for system monitoring, enhancing reliability. This fan is an effective thermal management solution for various electronic devices, small industrial equipment, and applications where space is limited and reliable cooling is essential.

## Product Images

---









---

Scan for product details:

