

# 2410SB-05W-B70-B02 NMB-MAT 24V 0.13A DC axial fan

**SKU:** 2410SB-05W-B70-B02

**Price:** \$9.99

**Categories:** Fans

**Tags:** NMB

**Product Link:**

<https://www.electspares.com/product/2410sb-05w-b70-b02-nmb-mat-24v-0-13a-dc-axial-fan/>

---

## Product Description

---

The NMB 2410SB-05W-B70-B02 is a compact 24V DC axial cooling fan. Measuring 60mm x 60mm x 25mm, this fan is well-suited for cooling applications in various electronic devices, network equipment, and small industrial controls where reliable airflow is needed in a confined space. It operates at a rated voltage of 24V DC and draws a current of 0.13A, resulting in a power consumption of 3.12W. This allows it to achieve a rotational speed of 5300 RPM, delivering an airflow of 26.8 CFM and a static pressure of 0.32 inch-H<sub>2</sub>O. Its noise level is 35 dBA. The fan features durable ball bearings for an extended operational lifespan of 40,000 hours at 60°C. It commonly comes with 2-wire leads for power connection and offers auto-restart and polarity protection.

Model Number: 2410SB-05W-B70-B02

Manufacturer: NMB Technologies Corporation

Series: 2410SB Series

Type: DC Axial Cooling Fan (Tubeaxial)

Dimensions: 60mm x 60mm x 25mm

Rated Voltage: 24V DC

Operating Voltage Range: 12V to 27.6V DC

Rated Current: 0.13A

Rated Power: 3.12W (calculated: 24V \* 0.13A)

Speed: 5300 RPM

Airflow: 26.8 CFM (0.76 m<sup>3</sup>/min)

Static Pressure: 0.32 inch-H<sub>2</sub>O (80 Pa)

Noise Level: 35 dBA

Connector: 2-Wire Leads

Bearing Type: Ball Bearing

Life Expectancy: 40,000 hours at 60°C (L10 Life)

Frame Material: Plastic

Impeller (Blade) Material: Plastic

Features: Auto Restart, Polarity Protection

Operating Temperature: -10°C to +70°C

Weight: 56g

Approvals/Certifications: UL, CSA, TUV, CE, RoHS Compliant

## Product Images

---







---

Scan for product details:

