4314/17T ebmpapst 24V DC Axial Fan

SKU: 4314/17T

Price: \$86.35

Categories: Fans

Tags: ebmpapst

Product Link:

https://www.elecspares.com/product/4314-17t-ebmpapst-24v-dc-axial-fan/

Product Description

The ebmpapst 4314/17T is a compact 24V DC axial fan with dimensions of 119x119x32mm. Operating within an 18-28V range, it draws 200mA of current and consumes 4.8W of power. This fan delivers an airflow of 134m³/h and a static pressure of 78Pa at a speed of 2800RPM, with a noise level of 45dB(A). Featuring reliable ball bearings and 4 wire leads, it provides a speed signal output for monitoring. Built with a durable plastic frame and impeller, it ensures dependable performance within an ambient temperature range of -25 to 65°C, with a lifetime of 65,000 hours at 40°C, and is certified by CE, UL, VDE, and CSA.

4314/17T Fan Parameters Manufacturer: ebmpapst

Model: 4314/17T Fan Type: Axial Fan

Dimensions: 119 x 119 x 32 mm

Rated Voltage: 24 VDC

Operating Voltage Range: 18 ~ 28 VDC

Current Rating: 200 mA Power Consumption: 4.8 W

Airflow: 134 m³/h Static Pressure: 78 Pa Speed: 2800 RPM Noise Level: 45 dB(A)

Bearing Type: Ball Bearing Termination: 4 Wire Leads Fan Features: Speed Signal

Operating Temperature: $-25 \sim 65$ °C Lifetime @ Temp: 65,000 Hours @ 40°C

Frame Material: Plastic

Blade Material: Plastic

IP Rating: IP20 Weight: 0.22 kg

Approval Agency: CE, UL, VDE, CSA

 $\label{lem:paper_problem} \begin{tabular}{ll} Application: This ebmpapet DC axial fan is suitable for various cooling applications in electronics, IT equipment, industrial controls, and inverter cooling, where efficient air controls in the electronic controls. The equipment is a suitable for various cooling applications in the electronic controls. The equipment is a suitable for various cooling applications in the electronic controls of the electronic controls. The equipment is a suitable for various cooling applications in the electronic controls of the electronic control controls of the electronic control control controls of the electronic control con$

movement, precise control, and robust certifications are needed.

Product Images





VarioPro® 4314 /17T

24V --- DC 200mA 4.8W (18-28V --- DC) +RD -BU ALARM: WH NTC: VT

© ebm-papst 1999-2004

ebm-papst St.Georgen

Hungary (C)

47.14













Scan for product details:

