

9A0624S402 Sanyo Denki DC24V 0.08A axial fan

SKU: 9A0624S402

Price: \$9.99

Categories: Fans

Tags: Sanyo Denki

Product Link:

<https://www.electspares.com/product/9a0624s402-sanyo-denki-dc24v-0-08a-axial-fan/>

Product Description

The Sanyo Denki 9A0624S402 is a 60x60x25mm DC axial fan designed for effective heat dissipation in compact electronic devices and equipment. Operating on 24 VDC within a voltage range of 12–27.6 VDC, this fan draws 0.080A of current, consuming 1.92 W of power. It achieves a rotational speed of 4600 RPM, delivering an airflow of 0.644 m³/min (23.0 CFM or 38.64 m³/h). With a low noise level of 33.0 dB(A) and utilizing ball bearings, it ensures reliable and quiet operation with an expected life of 40,000 hours at 60°C. This model features 2-wire leads for connection and includes locked rotor protection. It is compliant with UL, CSA, and TUV certifications, making it suitable for a wide array of applications in servers, power supplies, and general electronic cooling.

9A0624S402 Fan Parameters

Model Number: 9A0624S402

Manufacturer: Sanyo Denki

Series: San Ace 60

Type: DC Axial Fan (Tubeaxial)

Dimensions: 60mm x 60mm x 25mm

Rated Voltage: 24 VDC

Operating Voltage Range: 12–27.6 VDC

Rated Current: 0.080A

Power Consumption: 1.92 W

Speed: 4600 RPM

Airflow: 0.644 m³/min (23.0 CFM or 38.64 m³/h)

Static Pressure: 56.8 Pa (0.228 in H₂O)

Noise Level: 33.0 dB(A)

Bearing Type: Ball Bearing

Housing Material: Plastic

Blade Material: Plastic

Termination: 2-Wire Leads

Expected Life: 40,000 hours @ 60°C

Operating Temperature: -20°C to +70°C

Weight: 80 g

Protection Features: Locked Rotor Protection

Certifications: CSA, TUV, UL

Application: Servers, ICT equipment, power supplies, industrial control systems, general electronics cooling.

Product Images









Scan for product details:

