

A2V15C51TBL-1C Shyuan Ya 230V AC axial fan

SKU: A2V15C51TBL-1C

Price: \$13.09

Categories: Fans

Tags: Shyuan Ya

Product Link:

<https://www.electspares.com/product/a2v15c51tbl-1c-shyuan-ya-230v-ac-axial-fan/>

Product Description

The Shyuan Ya A2V15C51TBL-1C is an AC axial fan with dimensions of 172mm x 151mm x 51mm. It operates on 230 VAC at 50/60 Hz. At 50 Hz, it draws 0.11A of current with 25W power consumption, and at 60 Hz, it draws 0.15A with 32W power consumption. This fan provides an airflow ranging from 198 CFM (at 50Hz) to 230 CFM (at 60Hz) and has a noise level of 57 dB(A) at 50Hz rising to 61 dB(A) at 60Hz. It features ball bearings for durability and an aluminum die-casting frame with a PBT thermoplastic impeller, making it suitable for industrial cooling applications like servers, power supplies, and control cabinets. It also includes an auto-restart protection feature.

A2V15C51TBL-1C Fan Parameters

Model: A2V15C51TBL-1C

Manufacturer: Shyuan Ya

Type: AC Axial Fan

Dimensions: 172mm x 151mm x 51mm

Rated Voltage: 230 VAC

Frequency: 50 Hz / 60 Hz

Rated Current (50Hz / 60Hz): 0.11A / 0.15A

Power Consumption (50Hz / 60Hz): 25 W / 32 W

Speed (50Hz / 60Hz): 2900 RPM / 3300 RPM

Airflow (50Hz / 60Hz): 198 CFM / 230 CFM (336 m³/h / 390 m³/h)

Static Pressure (50Hz / 60Hz): 165 Pa / 160 Pa (0.66 inch H₂O / 0.64 inch H₂O)

Noise Level (50Hz / 60Hz): 57 dB(A) / 61 dB(A)

Bearing Type: Ball Bearing

Frame Material: Aluminum Die-casting

Impeller Material: PBT Thermoplastic (UL94V-0)

Termination: 2-Wire Leads

Operating Temperature: -20°C to +80°C

Weight: 875 g

Features: Auto Restart, Overheat Protection

Application: Industrial cooling, server cooling, power supplies, control cabinets, electronic enclosures, general equipment ventilation.

Product Images









Scan for product details:

