## AQ0824UB-A71GL ADDA 24V DC Axial Fan

SKU: AQ0824UB-A71GL

**Price:** \$9.99

Categories: Fans

Tags: ADDA

**Product Link:** 

https://www.elecspares.com/product/ag0824ub-a71gl-adda-24v-dc-axial-fan/

## **Product Description**

The ADDA AQ0824UB-A71GL is a DC axial fan designed for high-performance cooling, featuring dimensions of 80 x 80 x 25 mm. It operates on 24V DC, with a current draw of 0.26 A and a power consumption of 6.24 W. This fan runs at a speed of 3900 RPM, delivering an airflow of 50 CFM with a static pressure of 0.279 inch  $\rm H_2O$ . The noise level is 41 dB(A). It utilizes a reliable ball bearing system and is equipped with two-wire leads. The housing and impeller are constructed from UL94V-0 glass-filled polyester (P.B.T), and it has a rated life expectancy of 70,000 hours at 40°C / 65%. The fan operates effectively within a temperature range of -10 °C to 70 °C.

AO0824UB-A71GL Fan Parameters

Manufacturer: ADDA

Model: AQ0824UB-A71GL Fan Type: DC Axial Fan

Dimensions: 80 x 80 x 25 mm

Rated Voltage: 24V DC Current Rating: 0.26 A

Power Consumption: 6.24 W

Airflow: 50 CFM

Static Pressure: 0.279 inch H<sub>2</sub>O

Speed: 3900 RPM Noise Level: 41 dB(A)

Bearing Type: Ball Bearing Termination: 2-Wire Leads

Housing Material: UL94V-0 Glass Filled polyester (P.B.T) Impeller Material: UL94V-0 Glass Filled polyester (P.B.T)

Operating Temperature: -10 °C to 70 °C

Life Expectancy: 70,000 Hours at 40 °C / 65%

## Application

The AQ0824UB-A71GL fan is suitable for demanding cooling applications that require high airflow and static pressure, such as in industrial automation equipment, servers, telecommunications devices, and high-performance computing systems.

## **Product Images**









Scan for product details:

