

BUB0512HHD-BE34 Delta 12V DC Blower

SKU: BUB0512HHD

Price: \$9.99

Categories: Fans

Tags: Delta

Product Link:

<https://www.electspares.com/product/bub0512hhd-be34-delta-12v-dc-blower/>

Product Description

The Delta BUB0512HHD-BE34 is a compact DC blower measuring 50 x 50 x 20 mm. It operates on 12V DC, drawing 0.26 A of current and consuming 3.12 W of power. The blower delivers an airflow of 46.6 CFM (79.1 m³/h) and a static pressure of 0.267 inch H₂O (66.5 Pa). It runs at a speed of 4000 RPM with a noise level of 40 dB(A). This blower uses ball bearings for enhanced durability and features three-wire leads. Ideal for cooling components in confined spaces.

BUB0512HHD-BE34 Fan Parameters

Manufacturer: Delta Electronics

Model: BUB0512HHD-BE34

Fan Type: DC Blower

Dimensions: 50 x 50 x 20 mm

Rated Voltage: 12V DC

Current Rating: 0.26 A

Power Consumption: 3.12 W

Airflow: 46.6 CFM (79.1 m³/h)

Static Pressure: 0.267 inch H₂O (66.5 Pa)

Speed: 4000 RPM

Noise Level: 40 dB(A)

Bearing Type: Ball Bearing

Termination: Three Wire Leads

Housing Material: Thermoplastic (UL94-0)

Impeller Material: Thermoplastic (UL94-0)

Operating Temperature: -10 °C ~ 60 °C

Application

The BUB0512HHD-BE34 is a compact DC blower designed for cooling in highly restrictive environments. Its high static pressure is ideal for applications like projector light sources and


internal components, small electronic devices, and medical equipment where space is limited and focused airflow is necessary.

Product Images









Scan for product details:

