

# DP200A 2123XBL.GN SUNON AC Axial Flow Fan

**SKU:** 639905904871

**Price:** \$9.99

**Categories:** Fans

**Tags:** SUNON

**Product Link:**

<https://www.electspares.com/product/dp200a-2123xbl-gn-sunon-ac-axial-flow-fan/>

---

## Product Description

---

DP200A 2123XBL.GN SUNON 12038 220V built-in fan 2123XSL P/N2123HSL

Model Number: DP200A 2123XBL.GN

Manufacturer: SUNON Fans

Series: DP200A

Fan Type: AC Axial Flow Fan

Dimensions L x H x W: 120 mm x 120 mm x 38 mm

Rated Voltage: 220-240 VAC

Operating Voltage Range: 185 - 245 VAC

Frequency: 50/60 Hz

Phase: Single-phase

Rated Current:

0.14 A (at 50 Hz)

0.12 A (at 60 Hz)

Input Power:

22 W (at 50 Hz)

21 W (at 60 Hz)

Wiring: 2 Wire Leads (typically)

Bearing Type: Ball Bearing

Rotational Speed RPM:

2850 RPM (at 50 Hz)

3150 RPM (at 60 Hz)

Maximum Airflow:

97.0 CFM (at 50 Hz)

117.0 CFM (at 60 Hz)

Maximum Static Pressure:

0.34 in H<sub>2</sub>O (at 50 Hz)

0.39 in H<sub>2</sub>O (at 60 Hz)

Noise Level:

45 dB (at 50 Hz)

50 dB (at 60 Hz)

Frame Material: Aluminum Alloy

Impeller Blade Material: Polybutylene Terephthalate (PBT)

Motor Protection: Impedance Protected, Automatic Restart Capability

Insulation Resistance: 500 Megohms minimum at 500 VDC

Dielectric Strength: 1800 VAC for one second

Operating Temperature Range: -10°C to +70°C

Storage Temperature Range: -40°C to +70°C

Expected Life: 50,000 hours

Safety Approvals: CE, cURus, TUV

Weight: 550 g (approximately 1.213 lbs)

The SUNON DP200A 2123XBL.GN is a robust 120x120x38mm AC axial fan designed for reliable cooling in industrial and electronic applications. Operating on 220-240 VAC at 50/60Hz, it consumes 21-22W of power. This fan features durable ball bearings and an aluminum alloy frame, delivering substantial airflow of 97 CFM to 117 CFM at speeds ranging from 2850 RPM to 3150 RPM. With a noise level of 45-50 dB, it provides effective heat dissipation. Its impedance protection and auto-restart capability enhance reliability, making it an excellent choice for control cabinets, power supplies, servers, and other equipment requiring continuous AC cooling.

Card plug-in DP200A 2123XBL.GN

Lead type DP200A 2123XBL.GN

DP200A P/N2123XSL.GN

DP200A P/N2123HSL.GN

## Additional Information

---

**sort by color:** Card plug-in DP200A 2123XBL.GN, Lead type DP200A 2123XBL.GN, DP200A P/N2123XSL.GN, DP200A P/N2123HSL.GN


## Product Images

---









---

Scan for product details:

