

# KA1523HA2 KAKU 230V AC Axial fan

**SKU:** KA1523HA2

**Price:** \$49.84

**Categories:** Fans

**Tags:** KAKU

**Product Link:**

<https://www.electspares.com/product/ka1523ha2-kaku-230v-ac-axial-fan/>

---

## Product Description

---

The KAKU KA1523HA2 is an AC axial fan designed for high-performance cooling applications. It features dimensions of 150 x 150 x 38 mm and operates on 230V across 50/60Hz. This fan has a power consumption of 44/35W and draws 0.19/0.17A of current, respectively. It delivers airflow at 140/168 CFM (equivalent to 2.38/2.85 m<sup>3</sup>/min) and provides static pressure of 0.48/0.77 inch H<sub>2</sub>O (equivalent to 120/192 Pa). The fan operates at speeds of 2300/2500 RPM, with noise levels of 55/56 dB(A). It utilizes a ball bearing for durability and has a weight of 630g. The fan is equipped with two terminals for connection.

### KA1523HA2 Fan Parameters

Manufacturer: KAKU

Model: KA1523HA2

Fan Type: AC Axial Fan

Dimensions: 150 x 150 x 38 mm

Rated Voltage: 230V

Frequency: 50/60 Hz

Label Current: 0.19 / 0.17 A

Current Rating: 0.27 / 0.22 A

Power Consumption: 44 / 35 W

Airflow: 140 / 168 CFM

Airflow (Metric): 2.38 / 2.85 m<sup>3</sup>/min

Static Pressure: 0.48 / 0.77 inch H<sub>2</sub>O

Static Pressure (Metric): 120 / 192 Pa

Speed: 2300 / 2500 RPM

Noise Level: 55 / 56 dB(A)

Weight: 630 g

Bearing Type: Ball bearing

Termination: 2 Terminals

Housing Material: Metal frame

Impeller Material: Plastic blades

Operating Temperature: -30 °C to +60 °C

#### Application

The KA1523HA2 fan is designed for applications requiring significant airflow and pressure, such as in industrial machinery, HVAC systems, industrial control cabinets, and equipment requiring forced ventilation.

## Product Images

---









---

Scan for product details:

