

MDS-C1-SPH-185 220 Mitsubishi spindle driver

SKU: 743582527175

Price: \$1,285.65

Categories: CNC

Tags: Mitsubishi

Product Link:

<https://www.electspares.com/product/mds-c1-sph-185-220-mitsubishi-spindle-driver/>

Product Description

MDS-C1-SPH-185 220 Mitsubishi spindle driver in stock original spot bargaining

Additional Information

sort by color: MDS-C1-SPH-185, MDS-C1-SPH-220

Product Images





SPINDLE DRIVE UNIT MDS-C1-SPH-185


POWER 18.5kW
 INPUT 76A DC270-311V
 0.2A 1PH 200/200-230V 50/60Hz
 OUTPUT 63A 3PH 155V 0-833Hz
 EN61800-5-1 MANUAL# IB-1501296
 Max Surrounding Air Temp 55°C
 S/W RND553W100A2 H/W VER. D

MITSUBISHI ELECTRIC CORPORATION
 TOKYO 100-8310, JAPAN

MADE IN JAPAN



MSIP-REI-MEK-
 TC800A635G51



WARNING 警告

- RISK OF ELECTRIC SHOCK DO NOT TOUCH DRIVE UNIT AND WIRING IMMEDIATELY AFTER POWER OFF. CAPACITOR DISCHARGE TIME IS APPROX 15 MINUTES.
- RISQUE DE CHOC ELECTRIQUE. NE PAS TOUCHER L'AMPLIFICATEUR ET LE CABLAGE JUSTE APRES L'EXTINCTION DE L'APPAREIL. LE TEMPS DE DECHARGEMENT DES CONDENSATEUR EST DE 15 MINUTES.
- ⚠ 有触电的风险。电源断电后，请不要触碰模块和接线。电容放电需要15分钟。
- 感電の恐れあり。電源遮断直後にユニットや端子部を触れないこと。コンデンサ放電時間：15分
- ALWAYS CONNECT PROTECTIVE EARTH (PE) FOR PROTECTION AGAINST.
- TOUJOURS BRANCHER LA TERRE (PE) AU CONDUCTEUR DE PROTECTION.
- ⚡ 为了防止触电，请务必进行保护接地（PE）。
- 感電防止の為、保護アース(PE)の接続を必ず行うこと
- DONT TOUCH HEATSINK.
- NE PAS TOUCHEZ LE DISSIPATEUR THERMIQUE.
- ⚠ 散热片恐有高温。
- 放熱フィンに触らないこと高温の恐れあり
- ONLY B TYPE RCD IS ALLOWED.
- SEULEMENT DISJONCTEUR DE TYPE B RCD AUTORISÉ.
- ⚠ 只有B类型的（漏电保护器）RCD被允许。
- RCD 漏電遮断器はタイプBであること。
- REFER TO MANUAL BEFORE INSTALLING OR SERVICING.
- MERCI DE CONSULTER LE MANUEL D'UTILISATION AVANT INSTALLATION OU MAINTENANCE.
- 在安装及维护前，请参考手册。
- 据付と保守サービスの前に、マニュアルを参照すること。





Scan for product details:

