

MDS-C1-SPH-260 Mitsubishi spindle drive

SKU: 670898908702

Price: \$1,264.54

Categories: CNC

Tags: Fanuc

Product Link:

<https://www.elecspares.com/product/mds-c1-sph-260-mitsubishi-spindle-drive/>

Product Description

MDS-C1-SPH-260 Mitsubishi spindle drive package bargaining

MDS-C1-SPH-260 Mitsubishi Spindle Drive

Type: Spindle Drive Unit

Series: MDS-C1

Max. Motor Output: 26 kW

Rated Output Current: 97 A

Input Voltage: 270-311 V DC, 200-230 V AC (1-phase)

Input Current: 115 A DC, 0.2 A AC

Input Frequency: 50/60 Hz

Output Voltage: 200 V (3-phase)

Output Frequency: 0-833 Hz

Ambient Temperature: 0 to +55 °C (operation), -15 to +70 °C (storage)

Cooling: Forced wind cooling

Protection Rating: IP20 (overall), IP00 (terminal block TE1)

Weight: 6.3 kg

Heat Dissipation: 483 W (at rated output)

Noise Level: Below 55 dB

Analog Output: 0 to +10V (speed and load meter)

Product Images







警告

- ・高電圧注意
- ・電源遮断後15分間は、ユニット及び配線に手を触れないで下さい。
放電に約15分かかります。
- ・交流、直流両検出可能なブレーカを使用してください。
詳細に関してはマニュアルを見てください。
- ・感電防止の為、保護アース(PE)端子の接続を必ず行って下さい。
- ・欧州で使用する場合は中性点接地の電源を使用して下さい。

 **MITSUBISHI
ELECTRIC**
MODEL

SPINDLE DRIVE UNIT
MDS-C1-SPH-260

POWER	26kW	
INPUT	115A	DC270-311V
	0.2A	1PH 200/200-230V 50/60Hz
OUTPUT	97A	3PH 200V 200-230V
EN50178		MANUAL# BNP-C3000

S/W BND558W002A2 H/W VER. K
SERIAL# JBA777G67V28 DATE 2013-09

MITSUBISHI ELECTRIC CORPORATION JAPAN



Scan for product details:

