

MDS-CH-SPH-185 Mitsubishi spindle driver

SKU: 743389013043

Price: \$1,142.80

Categories: CNC

Tags: Mitsubishi

Product Link:

<https://www.electspares.com/product/mds-ch-sph-185-mitsubishi-spindle-driver/>

Product Description

MDS-CH-SPH-185 Mitsubishi spindle driver, disassembled, in good condition, in stock, bargain price

Product Images





REFER TO MANUAL BEFORE
INSTALLING OR SERVICING



BAUART
GEPRÜFT
TYPE
APPROVED



MITSUBISHI SPINDLE DRIVE UNIT **TYPE MDS-CH-SPH-185**

POWER 18.5kW
INPUT 38A DC513-648V
0.1A 1PH 380- 440/480V 50/60H
OUTPUT 32A 3PH 340V 0-1167Hz
EN50178 MANUAL# BNP-G3016



MITSUBISHI ELECTRIC CORPORATION

JAPAN

WARNING



- HAZARDOUS VOLTAGE
- DO NOT TOUCH DRIVE UNIT AND WIRING WITHIN 15MIN. AFTER POWER OFF. DISCHARGE TIME IS APPROX. 15MIN.
- ONLY RCD OF TYPE B IS ALLOWED. SEE THE MANUAL FOR DETAILS.
- ALWAYS CONNECT PROTECTIVE EARTH(PE) TERMINAL FOR PROTECTION AGAINST ELECTRIC SHOCK.
- SUPPLY NEUTRAL NEEDS TO BE EARTHED.

警告

- ・高電圧注意
- ・電源遮断後 15分間は、ユニット及び配線に手を触れないで下さい。放電に 約15分かかります。
- ・交流、直流両検出可能なブレーカを使用して下さい。詳細に関してはマニュアルを見て下さい。
- ・感電防止の為、保護アース(PE)端子の接続を必ず行なって下さい。
- ・欧州で使用する場合は中性点接地の電源を使用して下さい。



Scan for product details:

