MGT9224ZB-W38 E 24v 2A Protechnic fan

SKU: 639098912244

Price: \$20.57

Categories: Fans

Tags: Protechnic

Product Link:

https://www.elecspares.com/product/mgt9224zb-w38-e-24v-2a-protechnic-fan/

Product Description

MGT9224ZB-W38 E 24v 2A Yongli new original axial flow cooling fan Protechnic

Brand Name:Protechnic

Product model: MGT9224ZB-W38 E

Voltage: 24V

Speed: 6000RPM

Current: 2A

Noise: 61.3 dB-A Bearing: ball

Dimensions: 92x92x38mm Air volume:148.79CFM

Weight: 228g maintenance

- 1. The use environment should always be kept tidy, the surface of the fan should be kept clean, there should be no debris at the inlet and outlet, and dust and other debris in the fan and pipes should be cleaned regularly;
- 2. The fan can only be operated when it is completely normal. At the same time, it is necessary to ensure that the capacity of the power supply facility is sufficient and the voltage is stable. It is strictly forbidden to operate with defects. The power supply line must be a dedicated line and temporary lines should not be used for long-term power supply;
- 3. During the operation of the fan, if it is found that the fan has abnormal sounds, the motor is seriously overheated, the casing is charged, the switch is tripped, and cannot be started, etc., the fan should be stopped immediately for inspection. In order to ensure safety, maintenance is not allowed while the fan is in operation. After maintenance, a test run should be performed for about five minutes to confirm that there are no abnormalities before starting the operation;
- 4. The fan should be stored in a dry environment to prevent the motor from getting damp. When the fan is stored in the open air, protective measures should be taken. During storage and

transportation, the fan should be prevented from being bumped to avoid damage to the fan. Scope of application

Information systems, automotive industry and consumer electronics products and equipment

Product Images









Scan for product details:

