

# **P2133HBL(T) PROFANTEC 220V AC axial fan**

**SKU:** P2133HBL(T)

**Price:** \$22.43

**Categories:** Fans

**Tags:** PROFANTEC

**Product Link:**

<https://www.electspares.com/product/p2133hbtl-profante-220v-ac-axial-fan/>

---

## **Product Description**

---

The PROFANTEC P2133HBL(T) is an AC axial fan measuring 127x127x38mm. It operates on 230 VAC at both 50 Hz and 60 Hz frequencies, drawing 0.14 A (at 50 Hz) and 0.12 A (at 60 Hz) of current. Power consumption is 21 W at 50 Hz and 19 W at 60 Hz. This fan achieves a speed ranging from 2600 RPM (at 50 Hz) to 3050 RPM (at 60 Hz) and provides an airflow between 115 CFM (at 50 Hz) and 135 CFM (at 60 Hz), with a noise level of 50 dB(A) (at 50 Hz) to 52 dB(A) (at 60 Hz). It is equipped with ball bearings for durable operation and typically features lead wire termination. Constructed with an aluminum frame and plastic blades, it is designed for high-speed cooling and ventilation in industrial and electronic equipment.

P2133HBL(T) Fan Parameters

Model: P2133HBL(T)

Manufacturer: PROFAN Technology

Brand: PROFANTEC

Type: AC Axial Fan

Dimensions: 127x127x38 mm

Rated Voltage: 230 VAC

Frequency: 50 Hz / 60 Hz

Rated Current: 0.14 A (50Hz) / 0.12 A (60Hz)

Power Consumption: 21 W (50Hz) / 19 W (60Hz)

Speed: 2600 RPM (50Hz) / 3050 RPM (60Hz)

Airflow: 115 CFM (50Hz) / 135 CFM (60Hz)

Static Pressure: Not specified

Noise Level: 50 dB(A) (50Hz) / 52 dB(A) (60Hz)

Bearing Type: Ball Bearing

Termination: Lead Wire

Weight: 0.56 kg

Frame Material: Aluminum

Impeller Material: Plastic

Operating Temperature: Not specified

Life Expectancy: Not specified

Motor Protection: Not specified

Direction of Rotation: Not specified

Approval Agency: Not specified

Application: Industrial equipment cooling, electronic device ventilation.

## Product Images

---









---

Scan for product details:

