

P2173HBL-ETS PROFANTEC 230V AC axial fan

SKU: P2173HBL-ETS

Price: \$33.64

Categories: Fans

Tags: PROFANTEC

Product Link:

<https://www.electspares.com/product/p2173hbl-ets-profantec-230v-ac-axial-fan/>

Product Description

The PROFANTEC P2173HBL-ETS is an AC axial fan measuring 172x150x38mm. It operates on 230 VAC at 50 Hz and 60 Hz frequencies, drawing 0.12 A of current. Power consumption is 32 W at 50 Hz and 35 W at 60 Hz. This fan achieves a speed of 2850 RPM at 50 Hz and 3200 RPM at 60 Hz, providing an airflow of 200 CFM at 50 Hz and 250 CFM at 60 Hz, with a noise level of 55 dB(A) at 50 Hz and 58 dB(A) at 60 Hz. It is equipped with ball bearings for durable operation and features an open-end cable for connection. Constructed with a die-cast aluminum frame and steel impeller, it is designed for efficient cooling and ventilation in various industrial and electronic equipment.

P2173HBL-ETS Fan Parameters

Model: P2173HBL-ETS

Manufacturer: PROFAN Technology

Brand: PROFANTEC

Type: AC Axial Fan

Dimensions: 172x150x38 mm

Rated Voltage: 230 VAC

Operating Voltage Range: 150 - 250 VAC

Frequency: 50 Hz / 60 Hz

Rated Current: 0.12 A

Power Consumption (50Hz / 60Hz): 32 W / 35 W

Speed (50Hz / 60Hz): 2850 RPM / 3200 RPM

Airflow (50Hz / 60Hz): 200 CFM / 250 CFM

Static Pressure (50Hz / 60Hz): 0.58 in H₂O / 0.62 in H₂O

Noise Level (50Hz / 60Hz): 55 dB(A) / 58 dB(A)

Bearing Type: Ball Bearing

Termination: Open end cable (approx. 28 cm length)

Weight: 0.6 kg

Frame Material: Die-cast aluminum

Impeller Material: Steel

Operating Temperature: -10°C to +70°C

Life Expectancy: 20,000 hours

Motor Protection: Impedance Protected

Approval Agency: UL, TUV, CE

Application: Industrial equipment cooling, control panels, power supplies, general electronic cooling.

Product Images









Scan for product details:

