

PMD2409PTV2-A SUNON DC24V 4.8W axial cooling fan

SKU: 908289736646

Price: \$9.99

Categories: Fans

Tags: SUNON

Product Link:

<https://www.electspares.com/product/pmd2409ptv2-a-sunon-dc24v-4-8w-axial-cooling-fan/>

Product Description

PMD2409PTV2-A SUNON DC24V 4.8W 92*92*25 imported axis flow fan

Model Number: PMD2409PTV2-A

Manufacturer: SUNON

Fan Type: DC Brushless Axial Fan

Dimensions (L x H x W): 92 mm x 92 mm x 25 mm

Rated Voltage: 24 VDC

Operating Voltage Range: 10 VDC to 27.6 VDC

Rated Current: 0.20 A

Input Power: 4.8 W

Wiring: 2 Lead Wires

Bearing Type: Vapo-Bearing™

Rotational Speed (RPM): 3900 RPM

Maximum Airflow: 73 CFM

Maximum Static Pressure: 0.33 in H2O

Noise Level: 44 dB(A)

Frame Material: Polybutylene Terephthalate (PBT)

Impeller (Blade) Material: Thermoplastic

Protection Functions: Automatic Restart Capability

Operating Temperature Range: -10°C to +70°C

Storage Temperature Range: -40°C to +70°C

Expected Life: 60,000 hours

Safety Approvals: UL, cUR, TUV, CE Approvals

Mass: 120 g

The SUNON PMD2409PTV2-A is a high-performance 92x92x25mm DC axial fan from SUNON, known for its efficient cooling and quiet operation. It operates on 24VDC, drawing 0.20A for 4.8W of power. This fan delivers 73 CFM of airflow and 0.33 in H₂O of static pressure at 3900 RPM, with a noise level of 44 dB(A). Featuring SUNON's durable Vapo-Bearing™ technology, a PBT plastic frame, and an automatic restart capability, it offers a reliable thermal management solution with an expected lifespan of 60,000 hours in various electronic and industrial applications.

Product Images









Scan for product details:

