## SJ1238HA3 SANJUN 380V AC Axial Fan

**SKU:** SJ1238HA3

**Price:** \$9.99

Categories: Fans

Tags: Sanju

**Product Link:** 

https://www.elecspares.com/product/sj1238ha3-sanjun-380v-ac-axial-fan/

## **Product Description**

The SANJUN SJ1238HA3 is a robust 380V AC Axial Fan with dimensions of 120x120x38mm, engineered for industrial applications requiring reliable cooling with both 50Hz and 60Hz frequencies.

When operating at 50Hz, this fan runs at 2600RPM, delivering an airflow of 142.7m<sup>3</sup>/h (84CFM) with a static pressure of 44.8Pa (0.18INH2O). It consumes 15W (0.10A) and maintains a noise level of 39dB(A).

At 60Hz, the fan's performance is enhanced, reaching 3000RPM and providing  $203.9 \text{m}^3\text{/h}$  (120CFM) airflow with a static pressure of 59.8Pa (0.24INH2O). In this mode, power consumption is 21W (0.12A) and the noise level is 43 dB(A).

Constructed with a durable plastic frame and impeller, and featuring a 2-wire termination, the SJ1238HA3 is well-suited for various industrial control cabinets, automation equipment, power systems, and general ventilation needs where high-voltage AC cooling is essential.

SJ1238HA3 Fan Parameters

Model: SJ1238HA3

Manufacturer: SANJUN

Type: AC Axial Fan

Dimensions: 120 x 120 x 38 mm Nominal Voltage: 380 V AC

Frequency: 50/60 Hz

Rated Current: 0.10 A (50Hz) / 0.12 A (60Hz)

Power Consumption: 15 W (50Hz) / 21 W (60Hz)

Speed: 2600 RPM (50Hz) / 3000 RPM (60Hz)

Airflow: 142.7 m<sup>3</sup>/h (84 CFM) (50Hz) / 203.9 m<sup>3</sup>/h (120 CFM) (60Hz)

Static Pressure: 0.18 IN H2O (44.8 Pa / 4.57 mmH2O) (50Hz) / 0.24 IN H2O (59.8 Pa / 6.10

mmH2O) (60Hz)

Noise Level: 39 dB(A) (50Hz) / 43 dB(A) (60Hz)

Weight: 520 g

Frame Material: Plastic Impeller Material: Plastic Termination: 2-wire leads

Application: Industrial control cabinets, automation equipment, power systems, and general

ventilation.

## **Product Images**









Scan for product details:

