

SJ1751HA2 SANJUN 220/240V AC Axial Fan

SKU: SJ1751HA2

Price: \$21.99

Categories: Fans

Tags: Sanju

Product Link:

<https://www.electspares.com/product/sj1751ha2-sanjun-220-240v-ac-axial-fan/>

Product Description

The SANJUN SJ1751HA2 is a 220/240V AC Axial Fan measuring 172x150x51mm, designed for versatile operation at either 50Hz or 60Hz. At 50Hz, it consumes 22W (0.10A), runs at 2850RPM, and provides an airflow of 356.8m³/h (210CFM) with a static pressure of 0.57INCHH₂O (141.6Pa), producing 50dB(A) of noise. When operating at 60Hz, it consumes 28W (0.12A), achieves 3400RPM, and delivers 407.8m³/h (240CFM) airflow with a static pressure of 0.72INCHH₂O (179.3Pa), at a noise level of 57dB(A). This fan features durable ball bearings, an aluminum alloy frame, and a plastic impeller. It is impedance protected and comes with 2-wire termination, making it suitable for industrial machinery, ventilation systems, power supplies, and control cabinets.

SJ1751HA2 Fan Parameters

Model: SJ1751HA2

Manufacturer: SANJUN

Type: AC Axial Fan

Dimensions: 172 x 150 x 51 mm

Nominal Voltage: 220/240 V AC

Frequency: 50/60 Hz

Rated Current: 0.10 A (50Hz) / 0.12 A (60Hz)

Power Consumption: 22 W (50Hz) / 28 W (60Hz)

Speed: 2850 RPM (50Hz) / 3400 RPM (60Hz)

Airflow: 356.8 m³/h (210 CFM) (50Hz) / 407.8 m³/h (240 CFM) (60Hz)

Static Pressure: 0.57 IN H₂O (141.6 Pa / 14.4 mmH₂O) (50Hz) / 0.72 IN H₂O (179.3 Pa / 18.3 mmH₂O) (60Hz)

Noise Level: 50 dB(A) (50Hz) / 57 dB(A) (60Hz)

Weight: 920 g

Bearing Type: Ball Bearing

Frame Material: Aluminum Alloy

Impeller Material: Plastic (PBT)

Min. Ambient Temperature: -20 °C

Max. Ambient Temperature: 80 °C

Life Expectancy: 50000 h at 40°C

Termination: 2-wire leads

Motor Protection: Impedance Protected

Approval: UL, CE

Application: Industrial machinery, control cabinets, power supplies, HVAC systems, and ventilation applications.

Product Images









Scan for product details:

