

YWF-4E/4D-450S Weiguang rotor axial fan

SKU: 553821443534

Price: \$60.00

Categories: Refrigeration

Tags: Weiguang

Product Link:

<https://www.elecspares.com/product/ywf-4e-4d-450s-weiguang-rotor-axial-fan/>

Product Description

Weiguang YWF-4E/4D-450S cold storage fan outer rotor axial flow fan cooling motor axial flow air flow heat pump YWF-4E/4D-450S Weiguang rotor axial fan

YWF4D-450S [380v air suction]

YWF4E-450S [220v air suction]

YWF4D-450S [junction box 380v]

YWF4D-450B [380v hair dryer]

YWF4E-450B [220v hair dryer]

YWF6D-450S [Low speed 380v air suction]

YWF6D-450B [Low speed 380v blower]

YWF6E-450S [Low speed 220v air suction]

YWF6E-450B [Low speed 220v blower]

YWF4E-450S [junction box 220v]

For large quantity shipping issues, please contact customer service.

Summary of YWF Series axial fans

YwF series axial fans are external rotor fan motors. Those motors have characteristics of compact structure, convenient installation, energy conservation and high efficiency.

YwF series axial fan motors have two types, single phase asynchronous capacitor run fan motor and three phase asynchronous fan motor. They are widely used in condenser, evaporator and other refrigeration

equipments and ventilating cycle areas.

The insulation class of the YWF series axial fans is B or F.

Voltage: The voltage of the single phase fan is 220V/50Hz and the voltage of the three phase fan is 380V/50Hz. We can also supply other fan with different voltages and frequencies according to clients' requirement. The standard length of the electrical wire on the fan is 1.5m and we can also supply the fans with connection box for clients' choices.

The applicable ambient temperature of the fans used in condenser is from -30°C to 60°C.

The average service life of fans is over 30000 hours.

All fans got CE approval in Europe and ccC safety certificate in China. Before operating the fan, make sure the earth wire of the fan connected with the external grounding device.

Fan characteristic measured in full bell mouth without guard grill.

□□□□□□ Illustration of fan motor model YWF 4 E - 350s - 102/34-□

23□56□□□□□□□□□□□□□□□□

AC Induction asynchronous external rotor fan motor 2□□□□

Motor poles

3E-□□□□□□□□ D-□□□□□□□□

E-Single phase capacitor operation, D-Three phase asynchronous operation □□□□□□

The diameter of the fan blade □□□: S-□□□□ B-□□

Air direction: S-Sucking, B-Blowing 6□□□□□

The diameter of the rotor □□□□□

The thickness of laminated core □□□□□□:

G-□□□□ BO-□□□□ B1-□□□□ T-□□□□ R-□□□□ E-FB□□□□ A-A□□□□ GB-□□

Characteristics of the fan motor:

G-Grid, BO-Square Frame B0, B1-Square Frame B1, T-Cylinder, R-Round Frame, E-FB

Additional Information

sort by color: YWF4D-450S [380v air suction], YWF4E-450S [220v air suction], YWF4D-450S [junction box 380v], YWF4D-450B [380v hair dryer], YWF4E-450B [220v hair dryer], YWF6D-450S [Low speed 380v air suction], YWF6D-450B [Low speed 380v blower], YWF6E-450S [Low speed 220v air suction], YWF6E-450B [Low speed 220v blower], YWF4E-450S [junction box 220v], For large quantity shipping issues, please contact customer service.

Product Images









电容运转外转子风扇电动机
(外转子轴流风机)

型号: YWF4E-450S

电压/频率: 220V/50Hz

尺寸: 48.5cm×48.5cm×20cm

净重/毛重: 8 / 9 kg

生产日期: 17年5月

P/N:13926600/J



XK06-015-01507

杭州微光电子股份有限公司

地址: 杭州市余杭经济开发区兴中路365号



A069842

Scan for product details:

