

# YWF4E/4D-250S/B Weiguang external rotor axial fan

**SKU:** 553820635451

**Price:** \$34.28

**Categories:** Refrigeration

**Tags:** Weiguang

**Product Link:**

<https://www.electspares.com/product/ywf4e-4d-250s-b-weiguang-external-rotor-axial-fan/>

---

## Product Description

---

Hangzhou Weiguang motor external rotor cold storage fan condenser axial flow cooling fan  
YWF4E/4D-250S/B

YWF4E-250S [220v suction medium speed]

YWF4D-250S [380v suction medium speed]

YWF4E-250B [220v medium speed blower]

YWF4D-250B [380v medium speed blower]

YWF2E-250S [220v suction speed]

For large quantities, please contact customer service

YWF2D-250S [380v high-speed air suction]

YWF2D-250B [380v high-speed blower]

YWF2E-250B [220v high-speed blower]

Summary of YWF Seiries axial fans□

YwF series axial fans are external rotor fan motors. Those motors have characteristics of compact structure, convenient installation, energy conservation and high efficiency.

YwF series axial fan motors have two types, single phase asynch ronous capacitor run fan motor and three phase asynchronous fan motor. They are widely used in condenser, evaporator and other refrigeration

equipments and ventilating cycle areas.

The insulation class of the YWF series axial fans is B or F.

Voltage: The voltage of the single phase fan is 220V/50Hz and the voltage of the three phase fan is 380V/50Hz. We can also supply other fan with different voltages and frequencies according to clients' requirement. The standard length of the electrical wire on the fan is 1.5m and we can also supply the fans with connection box for clients' choices.

The applicable ambient temperature of the fans used in condenser is from -30°C to 60°C.

The average service life of fans is over 30000 hours.

All fans got CE approval in Europe and CCC safety certificate in China. Before operating the fan, make sure the earth wire of the fan is connected with the external grounding device.

Fan characteristic measured in full bell mouth without guard grill.

## Additional Information


---

**sort by color:** YWF4E-250S [220v suction medium speed], YWF4D-250S [380v suction medium speed], YWF4E-250B [220v medium speed blower], YWF4D-250B [380v medium speed blower], YWF2E-250S [220v suction speed], For large quantities, please contact customer service, YWF2D-250S [380v high-speed air suction], YWF2D-250B [380v high-speed blower], YWF2E-250B [220v high-speed blower]

## Product Images

---





1.5m

三相异步外转子风扇电动机  
(外转子轴流风机)

型号: YWF4D-250S L

电压/频率: 380V/50Hz

尺寸: 29cm×29cm×12cm

净重/毛重: 2.5 / 3 kg

生产日期: 17年5月

P/N:13926600D




XK06-015-01507

杭州微光电子股份有限公司

地址: 杭州市余杭经济开发区兴中路365号



# 风机的风向图



## 如何选择产品

型号: **YWF4E-400S**


**YWF**: 代表网罩式轴流风机

**4**: 代表4级 (2高速, 4中数, 6低速)

**E**: 代表220伏 (D380伏, E220伏)

**400**: 代表风叶直径400MM

**S**: 表示风向是吸风



Scan for product details:

